


**Kondensatorë pune 400-475 V ,të serisë 416.10**

Të dhenat teknike  
 400 V ~ 10000 h cl. B 25/85/21  
 425 V ~ 10000 h cl. B 25/85/21  
 450 V ~ 3000 h Ocl. C 25/85/21  
 475 V ~ 3000 h Ocl. C 25/85/21



416.10	Tensioni/Voltazhi	400 V ~ 10000 h cl. B 25/85/21 425 V ~ 10000 h cl. B 25/85/21 450 V ~ 3000 h Ocl. C 25/85/21 475 V ~ 3000 h Ocl. C 25/85/21				
C(µF)	DxH (mm)	Kodi	Çmimi	DxH (mm)	Kodi	Çmimi
2	25x49	DC02		28x55	Ska	
2,5	25x49	DC02.5		28x55	Ska	
3	25x49	DC03		28x55	Ska	
3,15	25x49	DC03.15		28x55	Ska	
3,5	25x55	DC03.5		28x55	Ska	
4	25x55	DC04		28x55	Ska	
4,5	28x55	DC4.5		28x55	Ska	
5	28x55	DC05		28x55	Ska	
5,5	30x56	DC05.5		32x55	Ska	
6	30x56	DC06		32x55	Ska	
6,3	30x56	DC06.3		32x55	Ska	
8	36x58	DC08		32x55	KB08	
10	36x58	DC10		30x70	KB10	
12	36x70	DC12			KB12	
12,5	36x70	DC12.5		36x58	KB12.5	
14	36x70	DC14		40x70	KB14	
16	36x70	DC16		40x70	KB16	
18	40x70	DC18		45x70	KB18	
20	40x70	DC20		45x92	KB20	
25	40x70	DC25		45x70	KB25	
25/1	40x92	DC25/1			KB25/1	
30	40x92	DC30		45x70	KB30	
31,5	45x92	DC31.5		40x92	KB31.5	
35	45x92	DC35			KB35	
40	45x92	DC40		50x92	KB40	
45	45x117	DC45		50x92	KB45	
50	45x117	DC50		50x92	KB50	
55	45x117	DC55		50x92	KB55	
60	50x117	DC60		55x92	KB60	
70	50x117	DC70			KB70	
80	55x120	DC80			KB80	
100	-	DC100			KB100	

**Kondensatorë starti 220-250-330 V**

Dimensionet:

A = 36,5 x 68,5

B = 45,5 x 84

C = 52 x 105

D = 65 x 111



Kapacitor (µF)	220 V		250 V		330V			
	C min C max Cn. (Toll.)	Dim	Kodi DC22	Dim	Kodi DC25	CMIMI	Dim	Kodi DC33
36÷43	A		DC22036043	A	DC25036043		A	DC33036043
43÷52	A		DC22043052	A	DC25043052		A	DC33043052
53÷64	A		DC22053064	A	DC25053064		B	DC33053064
64÷77	A		DC22064077	A	DC25064077		B	DC33064077
72÷86	A		DC22072086	B	DC25072086		B	DC33072086
88÷106	B		DC22088106	B	DC25088106		B	DC33088106
108÷130	B		DC22108130	B	DC25108130		C	DC33108130
130÷156	B		DC22130156	B	DC25130156		C	DC33130156
145÷174	B		DC22145174	B	DC25145174		C	DC33145174
161÷193	B		DC22161193	B	DC25161193		C	DC33161193
189÷227	B		DC22189227	B	DC25189227		C	DC33189227
216÷260	B		DC22216260	C	DC25216260		D	DC33216260
243÷292	C		DC22243292	C	DC25243292		D	DC33243292
270÷324	C		DC22270324	C	DC25270324		D	DC33270324
324÷389	C		DC22324389	C	DC25324389		D	DC33324389

**Trasfomator Voltazhi Input 220-380V AC Output 12-24V AC**

Kapaciteti VA	Primari Inputi	Secondari	Kodi	Çmimi
60	220-380V AC +-5%	12-24V	JBK5-601224	
100			JBK5-1001224	
160			JBK5-1601224	
250			JBK5-2501224	
400			JBK5-4001224	
630			JBK5-6301224	
800			JBK5-8001224	


**Trasfomator Voltazhi Input 220-380V AC Output 24-36-48V AC**

Kapaciteti VA	Primari Inputi	Secondari	Kodi	Çmimi
60	220-380V AC +-5%	24-36-48V	JBK5-602448	
100			JBK5-1002448	
160			JBK5-1602448	
250			JBK5-2502448	
400			JBK5-4002448	
630			JBK5-6302448	
800			JBK5-8002448	


**Trasfomator Voltazhi Input 220-380V AC Output 24-110V AC**

Kapaciteti VA	Primari Inputi	Secondari	Kodi	Çmimi
60	220-380V AC +-5%	24-110V	JBK5-6024110	
100			JBK5-10024110	
160			JBK5-16024110	
250			JBK5-25024110	
400			JBK5-40024110	
630			JBK5-63024110	
800			JBK5-80024110	


**Trasfomator Voltazhi Input 220-380V AC Output 24-110V AC**

Kapaciteti VA	Primari Inputi	Secondari	Kodi	Çmimi
60	220-380V AC +-5%	24 V	JBK5-6024	
100			JBK5-10024	
160			JBK5-16024	
250			JBK5-25024	
400			JBK5-40024	
630			JBK5-63024	
800			JBK5-80024	


**Kondesator trefazor**

Tensioni Nominal (kV)	Kapaciteti Vlersimit (Kvar)	Kapaciteti Vlersimit (µF)	Vleresimi Rrymes (A)	H Lartësia (mm)	Terminali dalës	Çmimi
0.525	5	57.7	5.5	125	M6	
	10	115.5	11.0	180	M6	
	15	173.2	16.5	210	M6	
	18	207.9	19.8	210	M6	
	21	231.0	22.0	210	M6	
	25	288.9	27.5	210	M8	
	30	346.6	33.0	260	M8	
	40	462.2	44.0	330	M8	
	50	577.7	55.0	230	M10	
	60	693.3	66.0	230	M10	



**Ushqyes me hyrje AC 180-264V dhe Dalje 12,24,36 dhe 48V DC**


Output fuqia	Primari Inputi	Secondari	Kodi	Çmimi
12V 3A	85-264V AC	12V DC	MS-3512	
12V 5A			S-6012	
12V 10A			S-12012	
12V 20A			S-25012	
24V 1.5A		24V DC	MS-3524	
24V 2.5A			S-6024	
24V 5A			S-12024	
24V 10A			S-25024	

**Ushqyes me hyrje AC 180-264V dhe Dalje 12,24,36 dhe 48V DC**


Output fuqia	Primari Inputi	Secondari	Kodi	Çmimi
6.3 A	85-264V AC	12V DC	DR07512	
10 A			DR12012	
3.2 A		24V DC	DR07524	
5 A			DR12024	

**Stabilizator voltazhi 95% efience nga 500VA-10000VA**


Fuqia	Primari Inputi	Output	Kodi	Çmimi
500VA	150-250V AC	220V AC +8%	AVR-500VA	
1000VA			AVR-1000VA	
1500VA			AVR-1500VA	
2000VA			AVR-2000VA	
3000VA			AVR-3000VA	
5000VA			AVR-5000VA	
8000VA			AVR-8000VA	
10000VA			AVR10KVA	

**Rregullator voltazhi 0-250 V dhe 0-430V**


Kapaciteti VA	Pri	Sec	Dalja Maksimale	Kodi	Çmimi
1	220V	0-250 V	4 A	TDGC2-1	
2			8 A	TDGC2-2	
3			12 A	TDGC2-3	
5			20 A	TDGC2-5	
10			40 A	TDGC2-10	
15			60 A	TDGC2-15	
20			80 A	TDGC2-20	

Kapaciteti VA	Pri	Sec	Dalja Maksimale	Kodi	Çmimi
3	380V	0-430 V	4 A	TSGC2-3	
6			8 A	TSGC2-6	
9			12 A	TSGC2-9	
15			20 A	TSGC2-15	
20			26.5 A	TSGC2-20	
30			40 A	TSGC2-30	